READ THIS FIRST

Notes for Release 1.1

May 9, 1984

Release 1.1 is the Sun base release. This release corresponds to the final (not beta) Berkeley 4.2bsd release. Future Sun releases will be sent automatically only to customers with service contracts.

Operating Environment

Release 1.1 runs only on Sun WorkstationsTM with Sun-2TM CPU boards. The release can run on CPU boards with revision L, M, or N proms. Your machine has L or M proms if it is currently running Release 1.0. When your machine is powered on, it tells you what version of proms you have. Installing 1.1 with revision L or M proms requires some extra steps. Refer to *Installing with L or M Proms* below.

Revision N proms are required to run software that is tied to a particular hostid, for example MicroINGRESTM. Revision N proms for models 100U and 150U fix the 4014 emulation feature that was broken in the revision L proms. 4014 emulation is not provided by any revision of proms for models 120 or 170. Other changes to the revision N proms are outlined in the System Summary and Change Notes. If you need revision N proms, send in the attached order form.

A file server and all its clients must be Sun-2's running Release 1.1. Mixing releases on a network is possible (see Making 1.1 Networks Compatible with Existing Networks in the System Manager's Manual), except between servers and their clients. Plan your upgrade to the Sun-2 and/or Release 1.1 accordingly.

Class C Internet addresses are recommended with 1.1. See Making 1.1 Networks Compatible with Existing Networks in the System Manager's Manual.

Release 1.1 running with Revision N proms obtains the EthernetTM address from the CPU board ID proms, rather than the Ethernet controller proms. Because of this, the Ethernet address from the ether line in /etc/nd.local for a client will be different in 1.1 when running with Revision N proms. Also note that should you ever need to swap CPU boards, particularly in clients, the original ID proms must be reinstalled on the replacement CPU.

Manuals

Release 1.1 is shipped with one manual set per site. Additional manual sets can be ordered at the discounted price of \$100 per set (limit, one set per machine). Order manuals from your sales office prior to July 31, 1984 to receive this discount.

The single copy of the documentation provided with Release 1.1 may be reproduced for use within your organization, provided that copyright notices are included and that no

The said of the state of wall well.

ាស់ មែល ស៊ីដែលសម្មានទៅ បាល់ស៊ីដែកស៊ី នៅក្នុងស៊ីថា ម៉ាងស្គេរ បានអង្គម៉ែញ ্রার প্রায়ের বিভাগত বর্ষ প্রার্থ হাস্তর্ভার হার্মার হারাজ্য হার্মার বিশ্ব বিভাগত করিছে । LINE WOMEN COMPANIES AND WEST TOO HER TO THE THEORY. or what is preparable according to the

and from a certain ", and the to booking her come as a stiffed of and the second of the second o

Belleten bei gegenachte bei ber bei beit beit beit beit beiter beiter beiter beiter beiter beiter beiter beiter Mills Charles at the constant was placed a mile from best best and and the principle of the end only the location and sometimes gainst consider the book of the contract and transfer in these suits on other president for it would be

ACCOUNT OF TODAY

Sea on the color of the second CAMO COSTA DO S

established sale as transfer increased of outrained abording the box of problem ್ ಕಾರ್ಟ್ ಕರ್ಮದ ಮತ್ತು ಕಾರ್ಯಕ್ಷಣಗಳ ಕಾರ್ಟ್ ಕಾರ್ಟ್ ಚಾರ್ಡ್ ಚಿತ್ರಗಳು The first of the first construct the stage and the man of the stage of properties of the many time is a low or the contract of the military of the contract THE CONTROL HOND OF A 1990

401 C and the series of the series o

والمجهل والمعاد

more than one (1) copy per Sun Workstation is produced.

Installation Procedure


- 1. See the Upgrading System Software chapter in the System Manager's Manual for information on changing releases. This chapter talks about how to save files across releases. This is chapter 7 in the 100U/150U System Manager's Manual and chapter 6 in the 120/170 System Manager's Manual.
 - Note: when changing from Version 7, use tar to backup files because /etc/dump tapes are incompatible with Release 1.1. Either tar or dump files from 0.3, 0.4 and 1.0 can be read by 1.1.
- 2. If you're upgrading your hardware to the Sun-2, follow the instructions in the Upgrade Installation Guide.
- 3. Follow the UnixTM installation procedure in the 1.1 System Manager's Manual. Some changes have occurred from prior releases, particularly for the Sun-2/120TM with SCSI disks, and for determining Ethernet addresses. If you're installing 1.1 on a system with revision L or M proms, refer to the section below for additional instructions.

Installing with L or M Proms

To install with L or M proms, the following extra steps are needed. These steps are only necessary for diskless workstations.

- 1. Systems with Revision L and M proms use the Ethernet address in the Ethernet controller proms, not the CPU ID proms. To obtain the Ethernet address, follow the procedure documented in your 1.0 System Manager's Manual. It describes how to obtain the Ethernet address on the Ethernet controller stored in memory location 1e0400 (for 120/170) or fe0400 (for 100U/150U).
 - When setup asks for an Ethernet address for a particular workstation, this is the one to use. Note that 1.1 setup needs all six bytes of the Ethernet address separated by colons.
- 2. The CPU ID prom should be unplugged. Release 1.1 cannot auto-boot over the network with revision L or M proms when the CPU ID chip is installed.

The CPU ID chip position is illustrated in the diagram below.



Be sure to keep the ID prom; you'll need to reinstall it should you ever use revision N or later proms.

(a) จาก และ ค. เพราะ โดย เมื่อ เมื่อ เกิด กระวุลา เพื่อเพราะ (พ.ศ.) จาก เมื่อ เมื่อ เพราะ (พ.ศ.) จาก พ.ศ. (พ.ศ.)
 (b) การ ได้ โดย จาก และ เมื่อ การ เมื่อ เพราะ (พ.ศ.) เมื่อ เพราะ (พ.ศ.) โดย เพราะ (พ.ศ.) จาก พ.ศ. (พ.ศ.) เมื่อ เมื่อ เมื่อ เพราะ (พ.ศ.) พ.ศ. (พ.ศ.) เมื่อ เมื่อ เมื่อ เมื่อ เมื่อ เพราะ (พ.ศ.) เมื่อ เมื่อ

i k **bisa time, a k**ipilar i tamangan kata ganamati terbaga **a inga taman a** an sa**a a.k. i.b and k i, a.d** dilional na mata kipilar an a

I I se mail il semile v

PR spare

o de la Colonia de la composición de la complexación de la completa de la Colonia de l

entre par la de la Proposition de la grande de la grande de la companya del companya de la companya de la companya de la companya del companya de la companya del companya de la companya de la companya de la companya del companya de la companya de

Autoria de mentenal Acemania (plus et la cilente de la cilente de la cilente de la cilente de la composition d Le material de polo de plus et la composition de la composition de la composition de la composition de la comp

Some and the season discussion and the season of the following seasons of the season o

BALL TO THE THE STEMPHEN WE WAS AN OWNED BY A SUPPLY OF THE THE SECOND S

 x^{t} , $x^{t} = x^{t}$

If you reinstall the ID prom it must be replaced in its original orientation, otherwise damage to the prom could result. To orient the chip, one of the corner pins on the ID prom is marked with a dot on the underside of the chip. That pin is call "pin 1". Pin 1 should be in the position shown in the diagram above.

Important Differences

Release 1.1 includes, for the first time, a System Summary and Change Notes document. It documents changes between 0.4, 1.0 and 1.1, and differences between 1.1 and Berkeley 4.2bsd.

Known Problems

The following are known problems in Release 1.1.

Systems with terminals as consoles

Model 150U, 170, or 120/FS systems with a terminal as a console can hang when booting. As control of the UARTS is passed from the prom monitor to Unix during the boot procedure, the DTR signal can change, causing some terminals that depend on DTR to go off-line.

A "cheater" cable solves the problem. Connect pin 7 to pin 7, cross pins 2 and 3. On each side of the cable loopback pin 6 to 8 and 20, and loopback pin 4 to 5.

cron daemon

If the date is set forward, the *cron* daemon can go into an infinite loop. If this happens, /etc/cron should be killed (find the *cron* process id with ps az) and restarted by typing /etc/cron.

printer spooling

The line printer spooling protocol changed between the 0.4 and 1.0 releases. On a network where some workstations are running Release 0.3/0.4 and some are running Release 1.0/1.1, use the following command for printing.

% cat file | rsh lprhost lpr

atof() bug

atof() loses some accuracy for numbers in certain ranges. Numbers with exponents between -31 and 31 are fine. Any program using atof() could be affected, including the compilers.

UUCP

uuzqt may fail because it can't open files due to permission problems. This can be fixed with the following command.

chmod 711 /usr/spool/uucp/{C.,D.,D.systemname}

Sendmail

When the system comes up multiuser for the first time, sendmail will try to run, leaving in the root directory one qf..... file and one af..... file. This does no harm, but can be avoided by installing sendmail just after running setup.

Demo software

The Makefile distributed with the demo software, /usr/demo/src/Makefile, does not do installs properly. We suggest you do a make, then move the binaries to

n de la companya del companya de la companya de la companya del companya de la companya del companya de la companya de la companya de la companya de la companya del companya de la companya del companya de la companya de la companya de la companya de la companya del companya de la companya d

្រុស្ត្រី ស្រុស្ត្រី ស្រុស្ត្រី ស្រុស្ត្រី ស្រុស្ត្រី ស្រុស្ត្រី ស្រុស្ត្រី ស្រុស្ត្រី ស្រុស្ត្រី ស្រុស្ត្រី ស ស្រុស្ត្រី /usr/demo manually.

The chessgame works properly only in windows.

vfont files

vfont files are included in the release. They are in the same tar file as the demos, manuals and games.

rdate

Release 1.1 rdate is incompatible with the Release 1.0 version.

Sun Workstation is a registered trademark of Sun Microsystems, Inc. Sun-2, Sun-2/xxx, SunCore, and SunWindows are trademarks of Sun Microsystems, Inc. Ethernet is a trademark of Xerox Corporation.

MicroINGRES is a trademark of Relational Technology, Inc.

Unix is a trademark of Bell Laboratories.

The second of th

(a) The second of the secon

und presente un tha deliteration malifies on take present

Prom Order Form

Use this form to order Revision N proms. There is no charge for the proms, but we do ask that you return your old proms (a mailer will be sent with your new proms).

List your name, address, phone number and machines below. Use the serial number from the back of your workstation. For the model 120, use the serial number from the back of the pedestal.

The Revision N proms are available in three types. The type depends on the workstation model and kind of keyboard. The proms can be for the models 120/170, the models 100U/150U with all black keys on the keyboard, or the models 100U/150U with gray and black keys on the keyboard. Check one of the three machine type boxes for each of your machines.

Return this form to:

Sun Microsystems, Inc. 2550 Garcia Ave. Mountain View, CA 94043 Attn: N-Proms, MS 2-15

Contact:						
Ship to address:	`					
				٠.		
			•			
Phone:	(_)_				•

	-	Machine/Prom Type (check one for each machine)							
	Machine serial #	Model	Model 120 or 170						
	All Black Keys	Black and Grey Keys							
1			·						
2	·								
3	•								
4				•					
5									
6									
7									
8									
9				·					
10									

If you have more than 10 machines, just attach copies of this form.