


# TYPESTYLE AND ORDERING GUIDE



## **Helpful Hints in Ordering Typing Elements**

Using the complete range of typing elements that are available can increase the versatility and usefulness of your office typewriters. The effectiveness and impact of your typed communications will be greatly enhanced with the proper use of type styles. Ordering that appropriate type style is simplified with the helpful hints below.

#### Determine if your typewriter needs an 88 or 96 character element.

Typing elements are now available with 88 or 96 characters. Which version you select depends on the model of typewriter for which you are ordering.

DSG's 88 character elements are designed to fit only the following typewriters:

- . IBM Selectric I and II
- Remination
- Silver Reed
- Xerox

DSG's 96 character elements are designed to fit only the following typewriters:

- . IBM Electronic Models 50, 60 and 75
- IBM Selectric III

All 96 character elements can be identified by the yellow lettering on the cap. All 88 character elements have white lettering on the cap.

Please keep in mind that 88 and 96 character elements cannot be interchanged on the same machine. Typewriters are designed to take either an 88 or 96 character element, never both. Also, not all 99 character element machines access every character on the element. Some of these machines have only 92 or 94 character keyboards (see page 2 for more details). However, these alternate 92 and 94 character keyboards still require a 96 character relement.

#### 2. What keyboard does your typewriter have?

Most typewriters in the U.S. come equipped with the American Standard keyboard (#101) illustrated on page 3. However, there are other keyboards available, such as Latin American 002 and French Canadian 493. Because of the unique keyboard wiring features found on these alternate keyboards, it is best to use the elements designated specifically for them. (See pages 3 and 4 for additional information.)

#### 3. Determine the pitch size you require.

Element pitch refers to how many typed characters fit in a one inch space. 10 pitch (Pica) elements type 10 characters to an inch; 12 pitch (Elite) elements type 12. In addition, there is a new pitch entitled proportional spacing, which varies the amount of characters per inch to provide a typeset appearance to typewritten materials. Proportional spaced elements can only be used on IBM Electronic Model 50 typewriters set on PS.

Pitch size is indicated on the typewriter and element by the following symbols:

- ▲ 10 Pitch
- Δ 12 Pitch
- · Proportional Spacing

Most newer typewriter models are dual pitched, in the both 10 and 12 pitch elements can be used properly. In that instance, your pitch choice for how many characters you wish to appear on a line, is a matter of personal preference.

Older typewriters can be single pitched. In that instance, using the properly pitched element creates the best typed appearance. A 12 pitch element used on a 10 pitch machine creates too much spacing between characters. Likewise, a 10 pitch element used on a 12 pitch machine creates a crowded appearance.

#### 4. What option code best suits your needs?

As illustrated on pages 3 and 4, every typewriter keyboard contains keys where different characters appear, depending on which element you order. The OPTION CODE of an element is the term used to denote which "characters will appear on these special keyboard positions.

For example, American Standard Option Code A has ! over 1 and ¼ over ½. However, in American Standard Option Code B, ± over 1 and ° over ! appear in these positions. For a full explanation of what each option code contains, see pages 3 and 4.

#### 5. Does point size matter to you?

Point size refers to the height of the typed characters. Each type style has a specific point size for its characters. Generally this point size is 10 or 12 points. There are type styles, such as Ordror, that are as large as 14 points high. These type styles are best for typewritten material that need maximum impact (e.g., speeches, headlines, etc).

#### 6. What type style do you prefer?

DSG has a wide variety of type styles from which to select. (See pages 5-10 for an illustration of what we offer.) After determining your answers to all of the points above, refer to the ordering chart on page 1, to select the type style that meets all of your other ordering qualifications.

The numbers that appear on the ordering chart are DSG's element part numbers. Refer to the number when placing your order. These part numbers are stamped on the lid of each element's plastic container, as well as embossed on the element itself, under the pump handle. To make your ordering easier, DSG's 88 character element part numbers are identical to the last three corresponding digits of the full IBM part number. For example, IBM P/N 1167143 is equivalent to DSG P/N 143. DSG's 96 character elements use the last four digits of the full IBM part number.

For additional information, contact your local dealer or:
Call DSG Direct — TOLL FREE (800) 523-1809
In Pennsylvania and outside the continental U.S.
Call (215) 592-9295
TWX 710-670-0509
DSGINTL PHA

## **DSG American Correspondence Element Chart**

The chart below lists the DSG 88 and 96 character elements currently available (2/1/82) for American keyboards. Select the part number of the element whose application and type style is best for you. Please

note that many type styles come in several versions (option codes), indicated by the letters A through S. The characteristics of these option codes are explained fully on the following pages of keyboard descriptions.

11	ta Type	w	w		~ `	_	-	Am	erican	Keyt	oard	s					7			,
_	ra Type	/	/	/		.6	OHOO OHO			/		"do/e607	Suo	/_8	Odumo	Suona Suova	Keylan	SOLOG	100	American
Pitch	Typestyle	(A	В	С	D	e P	96	X*88	X*96	E	F	G	96	s	M	P	Q	96	/ N	96
12	Adjutant	129		030	031		2924								775				_	
10	Advocate	130	-	050	036		2007	****		_					774				003	
12	Artisan 12-72	131		053	055					_						477			062	-
12	Auto Elite	-							6	-			-		-					
P/S**	Boldface						2915						-							
10	Bookface Academic 72	158					2904			-		-			-					
12	Courier 12	132		067	068		2908								490				200	
12	Courier 12 Italic	133		085	086		2005													
10	Courier 72	134		015	029	334	2002	3041		178	177	051			783		479		040	2012
10	Delegate	135		070	035		2912								776		-		002	2927
12	Dual Gothic	136		020	021		2001			_				1/2	-					
12	Elite 72	137		007	026		2913	183²							781					
7/12†	Executive Script							350°		-										
12-	Large Elite 72	161					2008											-		
12	Letter Gothic	138		005	039	338	2909	3051, 302 <sup>2</sup>					-		734				063	2932
12	Light Italic	139	014		032		2922									780				
10	Manifold	140	010		028		2914	0194							7790					
10/12†	Olde English					-	-	390³	23903										393 <sup>3</sup>	2393 <sup>3</sup>
PS**	Olde English							4390°	23913											
10	Orator .	141	059		060							-				-			359	2359
10	Orator Language Arts						-	236°												
10	Pica 72	142		008	027		2907					017			782					
10	Presentor					-	2029	245'								-				
12	Prestige Elite	143		012	033	343	2003	3031, 235*		180	179	049			784				041	2013
10	Prestige Pica 72	123				323	2905			182	181			172	7				198	1.0
12	Scribe	144		001	025		2009								778				018	
12	Script	145	090		034		2923			_						777			042	2935

#### NOTES

- The "X" Option Code indicates those type styles which contain specialty characters not found in
- most everyday correspondence.
- \*\* P/S is an abbreviation for Proportional Spacing, 96 Character P/S elements can only be used on an IBM Electronic Model 50 typewriter, 88 Character P/S fonts can only be used on IBM Selectric Composers.
- † 10/12 Pitch designates that the element works beautifully in 10 or 12 pitch.
- ¹ This specialty version, known as Semi-Custom (Burger-Dot) provides ⑤ and ⑥ in place of ¼ and ½.
- <sup>2</sup> This specialty version contains the Æ ligature in place of the ₱ over the 3
- 3 See page 6 for a description of the special characters and type style available with this element. This special application version of Manifold is equivalent to Option Code B with the exception that gf replaces the regular 0.
- An 88 character composer font suitable for use on the IBM Selectric Composer, only.
- stage of the standard  $I_1+V_2=$ , and  $V_2$  characters.

  Presentor features:  $\Delta \rightarrow \Box \rightarrow$  and  $\bullet$  in place of the standard -,  $V_2$  and  $V_2$  characters.
- \* This element features £ and CR in place of and.

## **Specialty Element Chart**

Pitch	Specialty Element*	88 Character	96 Character
10/12	Astrology (Star TypeTM)	365	
10/12	Diagnostic (Reference)	999	
12	Forms I.	392	
10	Symbol 10	061	
12	Symbol 12	004	2934
12	Symbol II	243	

NOTES:

\*\*See page 10 for a description of the special characters available with these elements.

#### International Elements

The chart below lists all of the 88 and 96 character elements DSG has available (9/1/81) for the IBM, Remington and Silver Reed international keyboards listed. Please remember that international typewriters are wired differently than U.S. typewriters, therefore international elements used on U.S. typewriters will not necessarily type the character corresponding to the key. A conversion chart would be necessary.

#### Legend for International Chart

French Keyboard 983 pro- the following special chara-			3 31	unu	aid	icu	· ·	60,
	5	é	Ç	à	••	^	ù	è
French Keyboard 452 pro	vide	es a	SS	tand	lard	fea	tur	es,
the following special chara	cte	S:						
	£	° é	8	è	ài		> <	и
German Keyboard 982 pro	wid	00.	20.0	etan	dore	fa	9711	rac

§ B Üö German Keyboard 393 provides as standard features. the following special characters: United Kingdom Keyboard 984 provides as standard

features, the following special characters 3 E 3 3 4 3 United Kingdom Keyboard 473 provides as standard features, the following special characters:

± £ μ > < Japan Keyboard 698 provides as standard features, the following special characters: [ ] ¥ £ 0

			Fenchia 883)	German 452)	Comerce 8821	Control of the Contro	Control of the state of the sta
		/	8	250	8	8/80	84/
		/s	8 6	8 2 /	200	\$ \$ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	F 2 /3
		15	2 5	3/2	2 6	2/32	32/2
		168	104	100	E 34	150	E. \ 26.
Pitch	Typestyle	/	_				/-
10/12	Alt Deutsch			10000			
10	Bookface Academic					602**	
10	Courier 72	547	1547	507	1507	617**	
12	Courier 12	554	1554	514		594	
12	Courier 12 Italic	559	NAME AND PARTY	516			
10	Delegate	542		502	1502	582	
12	Diplomat 72					603**	
2	Dual Gothic	551				591	
12	Elite 72					583	860
12	Letter Gothic	-553	1553	513	1513	593	
12	Light Italic	552	1552	512		592	
10	OCR-B			-			
10/12	Olde English			-530			
10	Orator	557	1557	517			
10	Presentor "				1529		
10	Pica 72	544		504	1011011	584	
12	Polygo Elite	561				601**	
12	Prestige Elite	545*	1545		1505	615**	
12	Scribe		-	506			
12	Script	548	1548	508			

#### NOTES

- \* Available in alternate version P/N 575 where £ over \$ replaces 1 over &, and & replaces 0.
- \*\* This alternate version for keyboard 984 features + over 1 in place of + over 5;) over 0 in place of ) over 1/4; and ! over 1/4 in place of 1/4 over 1/4; and ? over = in place of 1/4 over 1/4

#### **OCR Elements**

Electronic Scanners are an important feature of many word processing centers found in today's offices. OCR elements play an integral role in the use of electronic scanners in that they produce typewritten material that can be read automatically by these scanners.

DSG offers a wide assortment of OCR elements in a variety of type styles. [For a representation of these type styles see page 9.1

Before selecting a type style, however, it is important to keep the following points in mind:

- 1. Some OCR Elements have only Upper case characters, while the others have Upper and Lower
- 2. Some elements contain a 10-key numeric pad on upper case positions which perform as a keypunch or adding machine simulator.
- 3 OCR elements usually contain one, or more of the

- following	punctuation	symbols:		
∆ triangle	√ hook	I I beam	blob	1

triangle	√ hook	I I beam	blob	Y for
ozenge	vertical line	‡ christmas tree	rl chair	

#### DSG Available OCR Flements

ype Style	Available Part Numbers	
428-OCR for use with the IBM 1428 Scanner)	0161	
115-OCR for use with CDC 915		

#### Scanner 0651 1221 ANSI-OCR-A

The official American National Standards Institute 0561, 0912, 1082 Character set)

Printing and

(part of the Ansi-OCR-A family) Printing and

Publishing No. 1 Publishing No. 2

(for use with Compuscan 170 and Recognition Equipment, Inc. Scanner

1573, 1993

Printing and Publishing No. 3

(for use with ECRM, Inc. Scanners)

OCR.R (for use with the IBM 3886

Scanner and the Hendrix

characters, and French accent marks

1731 185\*, 2103, 2247, 2323, 3015, 3067, 3075 Scanner)

'Element keyboard layout features "Keypunch Simulator/Upper Case." Element keyboard layout features "Upper Case/Upper Case \*Element keyboard layout features "Upper Case/Lower Case."

\*Element keyboard layout features "Foreign Symbols/Upper Case."

A legal version of 210, which features ¶ and § in place of @ and \*A legal version of 210, which relatives 1 and 9 in place of w and 1 \*An alternate legal version of 210, which features 1, \$, — in place of 2, I, and < \*A French Canadian version of the 210, 232 keyboard with €, \$, and €

## Frequently Used Keyboards

Most typewriters in the U.S. utilize one of the keyboards shown on the following pages. Each keyboard version contains the full alphabet, numbers, and symbols shown in their respective illustration. Plus, some of the keyboards contain variable keys (numbered and shaded

in grey) which allow the typist to select those punctuation characters best suited to the work being typed. The combination of characters appearing on these variable keys is known as an option code.

#### 88 Character Keyboards

American Standard 88 Character Keyboard (IBM 101 Keyboard)



	Variable Key 1	Variable Key 2
Option A		à j
Option B	± 1	Ů
Option C	(1)	î
Option D	± 1	1 1
Option R	(1)	(N)

#### Legal 88 Character Keyboard (IBM 017, 177 Keyboards)

1-(	@ 2	(3)	\$ % 4 5 6	( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )		
L I					100F	
	A	(S)(I	DFG	)H(J	KL(	
	Z		CV	BON		?

	Variable Key 1	Variable Key 2
Option E	° 1	1
Option F	° 1	(5)
Option G	(j)	١

Please note that on all options ¶ replaces @ above the 2, and § replaces c above the 6.

#### Latin American 88 Character Keyboard (IBM 002 Keyboard

atin American de character Reyboard (ibin 002 Reyboa	ıu
12 3 4 5 6 7 8 9 0 - E	
QWERTYUIOP®	
ASDFGHJKL®	)
ZXCVBNM?:	

#### Option N

The punctuation characters that appear as standards in Option Code N are shown on the keys shaded in grey.

Please note: Many never single element typewriters feature "dual impression" striking velocity on their keyboards. This means that some keys, generally small punctuation marks, have a lighter strike ("low velocity"). When using a Light merican element on an American keyboard typewriter. Ihe "Q" will not prit as darky as other keyboard typewriter. The "Q" will not prit as darky as other more print properly to Latin American by the M" does print properly to Latin American to.

## French Canadian 88 Character Keyboard (IBM 492, 493 Keyboards)



	Variable Key 1	Variable Key 2
Option M	(*)	(Q )#
Option P	(±)	( t
Option Q	* ¢	+

Please note: French Canadian typewriters are programmed differently than American ones. When using a French Canadian element on an American keyboard typewriter, four of the keys reverse positions: the colon, semi-colon key reverses with the circumflex, accent grave key; and the ¼, ½ key reverses with the @. # key.

## Frequently Used Keyboards

## Tri-lingual 88 Character Keyboard (IBM 074-Keyboard)

Specialty characters that appear as standards on this keyboard are shown on the keys shaded in grey.



## Accounting 88 Character Keyboard (IBM 172 Keyboard)

Option S The punctuation characters that appear as standards in Option S are shown on the keys shaded in grey.



#### 96 Character Keyboards\*

#### American Standard and Legal 96 Keyboards

00000000000
<b>3</b> 2000000000000000000000000000000000000

# Variable Variable Key Key 1 2

American Standard	2	6	
Legal	3		

## Latin American 96 Character Keyboard (IBM 196 Keyboard)



The specialty characters available as standards on this keyboard are shown on the keys shaded in grey.

Please Note: This configuration of characters only appears on the IBM Latin American 196 Kayboard. When using a Latin American element on a U.S. Keyboard, the specialty characters shown at jet will appear in different positions, depending on the element and keyboard.

#### French Canadian 96 Character Keyboard (IBM 447 Keyboard)



The specialty characters available as standards on this keyboard are shown on the keys shaded in grey.

Please Note: This particular configuration only appears on the IBM French Canadian 447 Keyboard, When using a French Canadian element on a U.S. keyboard, the specialty characters shown at left will appear in different positions, depending on the element and keyboard.

#### NOTES:

\*The 96 Character keyboard is found on IBM's Electronic Models 50, 60 and 75, and Selectric III typewriters. The keyboard is actually available in three versions: • the 96 character version which accesses every key • the 94 character version which does not include

the 92 character version which does not include





ADVOCATE

12 point

10 point

The Advocate type style features an easy reading, open-spaced serif design. It is well suited to all correspondence needs.

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopgrstuvwxvz

!@#\$%¢&\*();;[3¶ 1234567890;]28

BOOKFACE ACADEMIC 72

The Bookface Academic type style features a large, bold serif design that is excellent for executive correspondence, and offset reproduction.

ABCDEFGHIJKLMNOPQRSTUVWXYZ !@#\$%¢&\*()\darkappa i 3 nabcdefghijklmnopgrstuvwxyz 1234567890\darkappa i 2 s

COURIER 72

The Courier 72 type style is a square-serif design in the PICA family. It finds wide use in general correspondence, and off-set reproduction.

ABCDEFGHIJKLMNOPQRSTUVWXYZ !@#\$%¢&\*()%[3g abcdefqhijklmnopqrstuvwxyz 1234567890%]23

DELEGATE 12 point Delegate's weighted appearance conveys the feeling of printed material. Therefore, it is recommended for text copy and similar jobs.

ABCDEFGHIJKLMNOPQRSTUVWXYZ !@#\$\$¢\$\*()\frac{1}{4}[3\frac{1}{3}\frac{1}{4}[3\frac{1}{4}]3\frac{1}{4}[3\frac{1}{4}[3\frac{1}{4}]3\frac{1}{4}[3\frac{1}{4}]3\frac{1}{4}[3\frac{1}{4}[3\frac{1}{4}]3\frac{1}{4}[3\frac{1}{4}[3\frac{1}{4}]3\frac{1}{4}[3\frac{1}{4}]3\frac{1}{4}[3\frac{1}{4}[3\frac{1}{4}]3\frac{1}{4}[3\frac{1}{4}]3\frac{1}{4}[3\frac{1}{4}[3\frac{1}{4}]3\frac{1}{4}[3\frac{1}{4}[3\frac{1}{4}]3\frac{1}{4}[3\frac{1}{4}[3\frac{1}{4}]3\frac{1}{4}[3\frac{1}{4}[3\frac{1}{4}]3\frac{1}{4}[3\frac{1}{4}[3\frac{1}{4}]3\frac{1}{4}[3\frac{1}{4}[3\frac{1}{4}]3\frac{1}{4}[3\frac{1}{4}[3\frac{1}{4}]3\frac{1}{4}[3\frac{1}{4}[3\frac{1}{4}]3\frac{1}{4}[3\frac{1}{4}[3\frac{1}{4}]3\frac{1}{4}[3\frac{1}{

MANIFOLD 10 point THE MANIFOLD TYPE STYLE FEATURES CAPITAL LETTERS IN BOTH UPPER AND LOWER CASE POSITIONS. THIS SPECIAL FEATURE MAKES IT IDEAL FOR BILLING AND FORMS PREPARATION.

ABCDEFGHIJKLMNOPQRSTUVWXYZ !@#\$%¢6x\*()4[3¶ 12345678901728

ORATOR L

ORATOR'S LARGE, SANS-SERIF CHARACTERS PROVIDE IMPACT TO TYPEWRITTEN MATERIAL. IT IS BEST USED IN SPEECHES AND DISPLAY MATERIAL TO DEMAND ATTENTION.

ABCDEFGHIJKLMNOPQRSTUVWXYZ | 1234567890%] 28

ORATOR LANGUAGE ARTS The Orator Language Arts type style features the impact of Orator, plus offers upper and lower case characters and the symbols needed for phonetic applications.

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnoparstuvwxyz

əa#\$%¢&\*()\_\_\_:",.? 1234567890---;',./

PICA 72

The Pica 72 type style finds widespread use in general correspondence, stencils, manifolding and legal material.

ABCDEFGHIJKLMNOPQRSTUVWXYZ !@#\$%¢&\*()\dagger\*[3\figs4]
abcdefghijklmnopqrstuvwxyz 1234567890\dagger\*]2\sqrt{\$}

PRESENTOR

The Presentor type style provides the impact of Orator, but typically gives improved print quality due to a slightly narrower line width.

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefahiiklmnopgrstuvwxyz !a#\$%^&\*()\[3\]
1234567890•]28

PRESTIGE PICA 72 12 point

14 point

The Prestige Pica type style works well in legal and accounting correspondence, offset reproductions, statistical reports and manifolding.

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopgrstuvwxyz !@#\$%c&\*()表[3¶ 1234567890表]2§

## 10 or 12 Pitch Correspondence Type Styles

EXECUTIVE SCRIPT (To Be Announced)

12 point

. . .

Olde English is a fun type style that adds a decorative touch to invitations, bulletins, and special correspondence.

OLDE ENGLISH

## 12 Pitch Correspondence Type Styles

ADJUTANT 9 point Adjutant is a weighted type style that provides the appearance of printed material. It is recommended for text copy and similar material.

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz 10#\$%¢6\*() 4[3¶ 12345678902]28

ARTISAN 12-72

The Artisan type style features a clean, easy-to-read sans-serif design.
It works well in general correspondence and offset reproduction.

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopgrstuvwxyz !@#\$%¢&\*()#[<sup>3</sup>¶ 1234567890½]<sup>2</sup>§

AUTO ELITE 12 point The Auto Elite type style offers a taller version of Elite with more conventional numerals. It is well used in correspondence and statistical reports of high density.

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz !@#\$%¢&\*()}[3¶ 1234567890}]2\$

COURIER 12 8 point Courier 12 is a clean, serif type style that is well suited to general correspondence, offset reproduction and a wide variety of general applications.

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz !@#\$%¢&\*()}[3¶ 1234567890}12\$

COURIER 12 ITALIC

8 point

The Courier 12 Italic type style is ideal for general correspondence, offset reproduction, and other applications requiring wide spacing.

ABCDEFGHIJKIMNOPQRSTUVWXYZ abcdefqhijklmnopgrstuvwxuz

!@#\$%¢&\*()}[3¶ 1234567890}]2\$

DIPLOMAT 72\*

Diplomat is a clean, serif type style that is well suited to general correspondence, offset reproduction and a wide variety of general applications.

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz +\*/@£\$&\delta()?%! 1234567890=\delta\delta

DUAL GOTHIC 10 point The Dual Gothic type style offers fine-line, sans serif characters that are used in credit reports and other financial applications.

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz 1@#\$%¢&\*()4[3¶ 1234567890½]2§

ELITE 72 10 point The Elite 72 type style allows for easy reading in densely typed correspondence, offset material, statistical reports, and text material.

ABCDEFGHIJKIMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz 10#\$%\$\psi\_\()\frac{1}{1} \]
1234567890\frac{1}{2}\[
\]

LARGE ELITE 72 The Large Elite 72 type style is similar to Elite 72 but features taller letters and distinctive numerals.

10 point

ABCDEFGHIJKIMNOPQRSTUVWXYZ !@#\$%¢&\*()}[3¶ abcdefghijklmnopqrstuvwxyz 1234567890}]2\$

LETTER SOTHIC

Letter Gothic's bold, sans-serif characters make it ideal for invoices, statements and other applications requiring impact.

2 point

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefqhijklmnopgrstuvwxyz

!@#\$%¢&\*()}[3¶ 1234567890}]2§

<sup>\*</sup>This type style is only available in elements for the International keyboards shown on page 2.

LIGHT ITALIC

10 point

The Light Italic type style can be used alone or in combination with PICA or ELITE to provide emphasis in a variety of typing applications.

ABCDEFGHTJKTMNOPORSTUVWXYZ abcdefqhijklmnopgrstuvwxuz

!@#\$%¢&\*() \frac{1}{2} | 3 9 1234567890 125

PRESTIGE & **ELITE 72** 10 point

The easy-to-read Prestige Elite type style is an excellent choice for general and legal correspondence, offset reproduction, statistical reports and text material.

ABCDEFGHIJKLMNOPORSTUVWXYZ abcdefghijklmnopgrstuvwxvz

1@#\$%c&\*()\[34 12345678903128

**POLYGO** ELITE\* 10 point

The Polygo Elite type style's non-serif characters allow for easy reading in densely typed correspondence, offset material, statistical reports, and text material.

ABCDEFGHIJKLMNOPQRSTUVWXYZ

+\*/@\$&()!?% 1234567890

SCRIBE 10 point

The Scribe type style is similar to ELITE, but features more modern, square-serif characters.

ABCDEFGHIJKLMNOPORSTUVWXYZ abcdefghijklmnopqrstuvwxyz

abcdefghijklmnopgrstuvwxyz

o!@#\$%¢&\*() +4[:"3¶,.? ±1234567890-==17:128../

SCRIPT 12 point

The Script type style is ideal for adding a personal touch to correspondence due to its simulation of handwriting.

ABCDEFGHIJKLMNOPORSTUVWXYZ abcdefghijklmnopgrstuvwxyz

10#\$% \$8 () \$ [39 12345678901128

## Proportional Spacing\*\* Correspondence Type Styles

BOLDFACE 10 point

The Boldface type style is designed for use on the proportional spacing option on the IBM Electronic 50 typewriter, which allows proper spacing for each character.

ABCDEFGHIJKLMNOPQRSUVWXYZ abcdefghiiklmnopgrstuvwxvz

! @#\$%¢&\*() 1 [ 3 ¶ 12345678901 28

12 point

OLDE ENGLISH Olde English is a fun type style that adds a decurative touch to invitations, bulletins, and special correspondence.

> ABCDEFCHIIK CANOPORST UVIIX UZ abcdefghijklmnopgretuuwxuz

£! @#\$%t&\*() +-†:" + . .? \$1234567890-=-t:' \$../

<sup>\*\*</sup>This type style is only available in elements for the International keyboards shown on page 2. \*Please note that Proportional Spacing Type Styles are only available in 96 character elements that fit on IBM Electronic Model 50 typewriters.

## 10 Pitch OCR\* Type Styles

1428-OCR 10 point

1428 OCR PROVÍDES TYPEWRITTEN IMPRESSIONS DESIGNED SPECIFICALLY FOR OPTICAL CHARACTER RECOGNITION ON THE IBM 1428 SCANNER.

ABCDEFGH I JKLMNOPQRSTUVWXYZ

\PA#+\*\*\*\*\* 1234567890-=×+\$,./

915-OCR 10 point

915 OCR PROVIDES TYPEWRITTEN IMPRESSIONS DESIGNED SPECIFICALLY FOR OPTICAL CHARACTER RECOGNITION ON THE CDC 915 SCANNER.

\* ABCDEFGHIJKLMNOP@RSTUVWXYZ

AH#\$% | 8 MD A - +↑: ♥ A 9 / 1234567890-= 4573./

ANSI-OCR A

ANSI-OCR A PROVIDES TYPEWRITTEN COMPUTER-READABLE DOCHMENTS. IT IS AVAILABLE IN CORRESPONDENCE OR

**ABCDEFGHIJKLMNOP@RSTUVWXYZ** 

KEYPUNCH SIMULATOR APPLICATIONS.

YHJ\$% | &\*D. -+\$: "B9? 1234567890-=#;',./

OCR R 10 point

10 point

OCR B PROVIDES TYPEWRITER IMPRESSIONS DESIGNED SPECIFICALLY FOR OPTICAL CHARACTER RECOGNITION ON THE IBM 3886 AND HENDRIX SCANNERS.

A, ¤ < [ > GAEGREMNOPQ] S^U^\XXZ ABCDEFGHIJKLMNOPQRSTUVWXY7

! @#\$% | &\*()-+#:"~'? 1234567890-= 1: 1, /

PUBLISHING. NO. 1

PRINTING AND Printing and Publishing No. 1 is part of the Ansi-OCR A family used in preparing computer readable documents.

10 point

ABCDEFGHIJKLMNOP@RSTUVWXYZ abcdefghiiklmnopgrstuvwxvz Y₽H\$% | 8\*{}-+#:",.? 1234567890-=#11./

PUBLISHING NO. 2

PRINTING AND Printing and Publishing No. 2 provides typewritten impressions designed specifically for optical character recognition on Compuscan equipment.

10 point

ABCDEFGHIJKLMNOPARSTUVWXYZ abcdefghijklmnopgrstuvwxyz !¶@\$%/&\*()-} \:+,.? 1234567890-{#;=,./

PRINTING AND PUBLISHING. NO. 3

Printing and Publishing No. 3 provides typewritten impressions designed specifically for optical character recognition on ECRM scanners.

8 point

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz

!@#\$%¢&\*() \(\dot\) |:",.? 1234567890-=1: ' . . /

<sup>\*</sup>Please refer to page 2 for specific keyboard features and electronic scanner capability of these elements.

## 10 and 12 Pitch Specialty Elements

(Please refer to page 1 to determine the correct pitch of a particular specialty element.)

ASTROLOGY ELEMENT (STAR TYPE"

ASTROLOGY STARTYPF™ MAKES ASTROLOGICAL TYPING FASIER AND A LOT MORE FUN. IT FEATURES THE MANIFOLD TYPE STYLE AND A FULL RANGE OF ASTROLOGICAL GLYPHS AND SYMBOLS.

10 point

\$#?~II4D#MY\$64\$/WTS\$Q\_\$0)MO ± &×∠\*□Δ₽×8 ||₩Ω"+°R ABCDEFGHIJKLMNOPORSTUVWXYZ 1234567890-=xv',./

DIAGNOSTIC (REFERENCE) **ELEMENT** †

The Diagnostic element identifies failure of platen and ribbon adjustment, character registration and vertical alignment. It combines the Orator and Prestige Elite typestyles with special blob and grid characters which demonstrate the problem area.

14 point 10 point

6 point

ABCDEFGH LJKI MNOPORSTUVWXYZ abcdefghijklmnopqrstuvwxyz

!##\$%¢&\*()\_■¼:",#? 1234567890-=%;'../

FORMS I I 8 noint

Forms I features the modified Copperplate Gothic Medium type style shown below, with a full range of special characters to produce borders, rules, corners, ballot boxes and segmented data processing lines. The alphabet comes in all capitals in both 8 and 6 point.

FORMS I IS DESIGNED SPECIFICALLY TO CREATE A VARIETY OF COMPLETED FORMS RIGHT ON THE TYPEWRITER.

SYMBOL 10

12 point SYMBOL 12 10 point

V∞ΨΦ<<Λ¶↑>\$Ω∂∿↓&ΓΘΣ→Ξ∝ΛΞΥ≅ αβψφειληιικωμνοργθστξ×δχυζ

@+|{}\r(n) |Ima-.->.+1 o\_\_\_\_\_π♀··÷≠≤′

SYMBOL II

4.(•≤±4/ ▼~% ★< \$ \$10/0 8[¶ √·) 0>†AR | ∇ ~ 0 \$> ... + | 0 | 0] 8 μℓ°X0...-1+;\_-

## Composer Fonts

OLDE **ENGLISH**  Olde English is a fun tupe stule that adds a decorative touch in invitations, bulletins, and special correspondence.

12 point

ABCDEFCHIKCANOPORSTUVUXUZ abedefghijklmnaparstuvwxuz

!++\$%/&\*()-@\$+\*": 1234567890-121 ...

<sup>\*</sup>The Astrology element carries a white cap with a black pump handle for easy identification.

<sup>†</sup>The Diagnostic element carries a blue cap for easy identification.

<sup>#</sup>The element carries a black cap with a white pump handle for easy identification.

## **Create Effective Communications With DSG**

\*

Typed material should communicate your message with MAXIMUM effectiveness, both in content and form. The versatility of over thirty interchangeable type styles in addition to your imagination and creativity can transform ordinary typing into Communication with Impact! Here are some ideas . . .

# USE SUBTITLES & BORDERS

Insert italias in the body of the text to highlight and emphasize a word or phrase. In general, contrasting type styles in the same paragraph will create a visual statement that attracts attention.

Indent paragraphs using an italic type style or a style smaller in appearance than the surrounding text to effectively present selected material.

Improve the clarity of lists or individual items with the use of a Burger Dot or bullet:

- Formal Correspondence requires a type style that
  commands attention
- Informal correspondence can be enhanced with a handwritten touch
- STATISTICAL TYPING, INVOICES, ETC. REQUIRE A CLEAR TYPE STYLE WITH DISTINCTIVE NUMERALS: \$1,234,567.89
- TOPIC HEADLINES increase readability and comprehension
- The use of certain 10 pitch type styles with the typewriter set at 12 pitch is another valuable technique

Quality in communication is just a matter of Style. Creating the right impression is easy!

#### NOTE

NOTE: Cast of characters (in order of appearance): Bookface Academic (P/N 158), Orator (P/N 141), Letter Gothic (P/N 138), Border courtesy of Symbol II (P/N 243), Dual Gothic (P/N 136), Light Italia (P/N 139), Scribe (P/N 144), Courier 12 Italia (P/N 139), Burget Bit (P/N 143), Scribe (P/N 144), Courier 12 (P/N 140), Delegate (P/N 156), Delegat

## **Part Number Ordering Directory to DSG Elements**

	CHARACTER ELEMENTS		CHARACTER ELEMENTS		HARACTER LEMENTS	88	CHARACTER ELEMENTS
P/N	Style	P/N	Style	P/N	Style	P/N	N Style
001	Scribe	129	Adjutant	*390	Olde English	*9	999 Diagnostic (Reference)
002	Delegate	130	Advocate	*392	Forms I		
003	Advocate	131	Artisan	*393	Olde English		
004	Symbol 12	132	Courier 12		Artisan	96	CHARACTER
005	Letter Gothic	133	Courier 12 Italic		Courier 72		LEMENTS
007	Elite	134	Courier 72		Courier 12	P/	N Style
008	Pica 72	135	Delegate	*502		_	
010	Manifold	136	Dual Gothic	*504			502 Delegate
012	Prestige Elite	137	Elite 72	*506	Scribe		505 Prestige Elite
014	Light Italic	138	Letter Gothic	*507			507 Courier 72
015	Courier 72	139	Light Italic	*508		*15	
016	1428-OCR	140	Manifold		Light Italic		529 Presentor
017	Pica 72	141			Letter Gothic		545 Prestige Elite
018	Scribe	142	Pica 72		Courier 12		547 Courier 72
019	Manifold	143			Courier 12 Italic	*15	
020	Dual Gothic	144		*517			552 Light Italic
021	Dual Gothic	145	Script		Olde English		553 Letter Gothic
	Scribe	157	Printing & Publishing #2	*542			554 Courier 12
	Elite	158	Bookface Academic 72	*544	Pica 72	*15	557 Orator
027	Pica 72	- 161	Large Elite 72	*545	Prestige Elite 72		001 Dual Gothic
028		170	Printing & Publishing #1	*547			002 Courier 72
	Courier 72		Prestige Pica 72	*548			003 Prestige Elite
	Adjutant	173	Printing & Publishing #3	*551	Dual Gothic	20	005 Courier 12 Italic
	Adjutant	177	Courier 72	*552	Light Italic	20	07 Advocate
	Light Italic	178	Courier 72		Letter Gothic	20	08 Large Elite 72
	Prestige Elite	179	Prestige Elite	*554	Courier 12	20	09 Scribe
	Script	180	Prestige Elite			20	112 Courier 72
	Delegate	- 181	Prestige Pica 72	*557	Orator	20	13 Prestige Elite 72
	Advocate	182	Prestige Pica 72	*559	Courier 12 Italic	20	29 Presentor
039	Letter Gothic	183	Elite 72	*561	Polygo Elite	23	59 Orator
	Courier 72	185	OCR-B	*575	Prestige Elite	*23	90 Olde English
	Prestige Elite ~			*582	Delegate	*23	91 Olde English
	Script	198 199	Prestige Pica 72	*583	Elite 72	*23	93 Olde English
	Prestige Elite		Printing & Publishing #2	*584	Pica 72	29	04 Bookface Academic 72
	Advocate	200	Courier 12	*591	Dual Gothic	29	05 Prestige Pica 72
	Courier 72	210	OCR-B	*592	Light Italic	29	07 Pica 72
	Artisan	224	OCR-B	*593	Letter Gothic	29	908 Courier 12
	Artisan	232		*594		29	909 Letter Gothic
	Ansi-OCR-A	235	Prestige Elite Tri-Lingual			29	12 Delegate
		236	Orator/Language Arts	*602	Bookface Academic	29	913. Elite 72
059	Orator	243		*603	Diplomat 72	29	14 Manifold
060	Orator	245		*615	Prestige Elite	29	15 Boldface
		*301			*Courier 72	29	22 Light Italic
	Artisan	302	Letter Gothic	734	Letter Gothic	29	923 Script
	Letter Gothic		Prestige Elite	774	Advocate	29	24 Adjutant
	915-OCR		Courier 72	775	Adjutant	29	27 Delegate
	Courier 12		Letter Gothic	776	Delegate	29	32 Letter Gothic
	Courier 12		Hendrix Gothic III	777		29	34 Symbol 12
	Delegate	*307			Scribe		35 Script
	Courier 12 Italic		Prestige Pica 72	779	Manifold		
	Courier 12 Italic	334		780	Light Italic		
	Script		Letter Gothic	781	Elite 72	0	OMPOSER FONTS
	Ansi-OCR-A		Prestige Elite	782	Pica 72	P/	
	Ansi-OCR-A		Executive Script	783	Courier 72	-	The same of the sa
122	915-OCR	359	Orator	784	Prestige Elite	*43	90 Olde English

<sup>\*</sup>Suggested Retail Higher Than Most Standard American Elements.

# **DSG's Quality Business Products!**







dust or other debris. CommuniCovers™ sized to fit IBM

Selectric II typewriters (13"/15"/16" models).

These customized 88 and 96 character elements are newly manufactured to your specifications and are of the same quality as our stock elements. Send your specifications: 4.6 weeks later you'll receive your precision, when the same demand the send of the same sen



Now available at most Office Supply and Machine Dealers throughout U.S. and Canada.



DSG, Inc. 1737 Chestnut Street Philadelphia, PA 19103 BULK RATE U.S. POSTAGE PAID Philadelphia PA Permit No. 772

Contact Your Local Office Supply or Machine Dealer For Additional Information on DSG's Many Fine Products, or

CALL TOLL FREE (800) 523-1809 In Pennsylvania or outside the Continental U.S. call (215) 592-9295, TWX 710-670-0509 DSG INTL PHA