

EMPLOYEE AUCTION OF EXCESS EQUIPMENT

PLACE: Stanford Park Division 5M Conference Room

AUCTION DATE: Friday, January 9, 1981

AUCTION TIME: 4:00 P.M.

PREVIEW DATES: Wednesday, January 7 and Thursday, January 8, 1981

PREVIEW TIME: Wednesday: 1:00 to 4:00 P.M.

Thursday: 8:00 to 11:00 A.M. & 1:00 to 4:00 P.M.

RULES:

- (1) All employees who wish to bid are asked to register with Evelyn Ng on extension 2509 prior to the auction and receive a bidder's number. This will help identify the winning bidder and speed up the auction.
- (2) Only one of each MODEL of equipment may be purchased per bidder.
- (3) Items are not for resale.
- (4) All items are to be sold in an AS IS condition; i.e. no guarantees or representations. All sales will be final.
- (5) For safety reasons, instruments cannot be turned on or demonstrated.
- (6) Payment must be made by cash or check; sorry, no payroll deductions.
- (7) Sales tax of 6 1/2% will be added to the winning bid.
- (8) Winning bidders will be issued a property pass and should remove their treasures the same day.

ITEMS ON AUCTION

Tag #	Model# & Description	Asset#	Serial #
1	415L SWR Meter	4297	147-00143
2	415C SWR Meter	5541	15
3	K81-0981A Pre-Fab Bridge Detector	0244	566
4	8699B Plug-in	086036	835-00078
5	8699B Plug-in	076208	1105A01273
6	8693B Plug-in	086031	822-01046
7	8693B Plug-in	086030	728-00583
8	8699B Plug-in	078702	835-00064
9	8694B Plug-in	86032	611-00058
10	8699B Plug-in	78644	835-00056
11	8694B Plug-in		728-01106
12	8691B Plug-in	86027	636-00118
13	8699B Plug-in	86035	1144A01971
14	8692B Plug-in	6089	
15	8694A Plug-in	45554	715-00452
16	8693 B Plug-in	46089	728-00690
17	8693B Plug-in	76093	728-00712
18	8694B Plug in	505210	611-00053
19	8693B Plug-in		715-00369
20	8693A Plug in	45264	715-00364
21	415C SWR Meter	4025	208-00197
22	415C SWR Meter	4484	214-00314
23	415C SWR Meter	4619	132-00060
24	5256A Freq Converter		711-00003
25	3444A DC Multi-Function Unit	44076	543-01124
26	428A Current Meter		389-01079
27	500B Freq Meter	5100	015-02916
28	415B SWR Meter	4309	3900
29	1415A TDR	45342	623-01546
30	462A Amp.	51319	421-00506
31	ET 1562	70	
32	ET 1562	224	546-00046
33	ET1562	21	546-00054
34	KS-19698 Power Meter	4838	618-00393
35	196B Scope Camera		422-01130

Tag#	Model# & Description	Asset#	Serial#
36 — 55.00	8414A Polar Display	86022	829-00458
37 — 5.00	415E SWR Meter	4750	Prod Proto 2
38 — 5.00	415BR SWR Meter		5228
39 — 11.00	695A Sweep Oscillator	43399	507-01112
40 — 4.00	Kodak Ektalite 140 Reader		
41 — 4.00	Kodak Ektalite 140 Reader		
42 — 5.00	File Drawer		
43 — 7.00	File Drawer		
44 —			
45 —			
46 — 100.00	8690B	6388	921-00995
47 — 9.00	495A Microwave Amp	4278	207-00182
48 — 32.00	2401C Integrating Digital Voltmeter	91098	811-02332
49 —	8410A Network Analyzer	086019	806-00701
50 — 360.00	2600A Terminal	77399	1135A00318
	(Condition: not working)		
51 — 45.00	2600A Terminal: not working	80956	1135A00744
52 — 10.00	ET 1587 Puncher	44211	
53 — 12.00	ET 1587 Puncher	43820	
54 — 20.00	626A SHF Sig. Gen.		136
55 — 1.00	Sweep Oscillator		
56 — 15.00	Variac		
57 — 15.00	Variac		
58 —	143A Scope	904019	908-00181
59 —	1420A Time Base	904020	801-02657
60 —	1405A Dual Trace Amp	904021	450-01357
61 — 15.00	900C VOM (HICKOK)		150-0680
62 — 15.00	400 Hr Vacuum Tube Voltmeter	501340	313-24030
63 — 1.00	K01-3440A Plug-in Extender		
64 — 1.00	185A-39A Plug-in Extender		
65 — 1.00	10401A Plug-in Extender		
66 — Not Sold	160B-39A Plug-in Extender		
67 — 11.00	1400A Diff. Amp.	1174	539-00694
68 — 11.00	1400A Diff. Amp.		539-00630
69 —			
70 — 7.00	K69-0980A	0014	

2 1/2 ft x
1 ft square

Tag#

Model# & Description

Asset#

Serial#

Tag#	Model# & Description	Asset#	Serial#
71	17108A Time Base	44688	631-00115
72	1.00 Plug-in Extender		
73	15.00 350B 600 A Attn. Set	3059/3051	4023/4008
74	12.00 412AR UTUM	51245	004-02333
75	25.00 5254B Freq. Converter	45127	712-00144
76	4.00 H03-432A Test Fix.		
77	8.00 ET-2399 30 MHZ Sig. Source		816-00008
78	4.00 ET-XXX		
79	5.00 Cabinet		
80	7.00 AC Meter 100-130 VAC	4772	
81	NS } J7520 Waveguide	100-7329	
82	NS } 3.00 H7520 Waveguide	100-7282	
83	NS } ? Waveguide	7192	
84	NS } J752D Waveguide	100-7462	
85	M752D Dir-Coupler		101
86	Waveguide	7465	
87	15.00 Variac		
88	17.00 Variac		
89	1.00 ?		
90	6.00 214A Pulse Gen.		316-00114
91	37.00 140A Scope	43322	326-00205
92	65.00 130A Scope	79424	15
93	10.00 694A Sweep Oscillator	90153	524-01288
94	18.00 Wheatstone Bridge	0139	102157
95	2.00 } ET-1534-Leveler Amp.	0535	
96	ET-1534-Leveler Amp.	0536	
97	10.00 411A RF Millilometer	4177	117-00634
98	428A Millamp Meter	81299	901
99	411A RF Millivoltmeter	4144	117-00181
100	ET-0148 Resistor Box	0434	
101	8699B	90272	
102	349A UHF Noise Source	100-3257	050-00871
103	739AR Freq Resp. Test Set	79406	220-00775
104	ET-7330	78613	
105	ET2302 8411 Test Fixture	0160	004

Tag#	Model # & Description	Asset#	Serial#
106	405BR DC Voltmeter	4517	234-02743
107	612A Sig. Gen.	090189	455
108	693D Sweep Oscillator	090151	548-00695
109	8690A Sweep Oscillator	41272	742-01503
110 (Bad BWO)	8692A Plug-in	46566	728-00878
111 (" ")	8692B Plug-in	90258	611-00055
112 " "	8695A-H62 Plug-in	80419	1313A08218
113 " "	8692B Plug-in	46092	728-00709
114 " "	8694B Plug-in	84510	1335A09746
115	431C Power Meter	51224	618-01438
116	431C Power Meter	50076	707-03152
117	411A RF Millivoltmeter	40405	117-00264
118	NCR Viewer		
119	1416A Swept Freq. Indicator	43915	603-00219
120			
121	135M X-Y Plotter	49047	832-03710
122	2753A Tape Punch	049091	713-00383
123 (Dead High End)	8692B-H88 BWO Plug-in	041536	728-00863
124	5251A-Freq. Converter		818-00168
125	2161A & 2115A Computer & P.S. Missing Boards		805-00147
126 (Dead)	8717A Transistor Bias Supply		847-00052
127	2114A Computer	048348	911-00186
128	2752A Teletype	048237	630-00401
129	626A	90262	250-00575
130	405BR	50981	243-02723
131	8743A	092019	1226A00817
132	691B	086057	321-00052
133	ET-0165 10 MC Multiplier		
134	8466A Wiring Sample		
135	8466A Wiring Sample		
136	5375A Waveguide Variable Attenuator		
137	5382C Waveguide Variable Attenuator	3401	
138	130C Oscilloscope	43172	445-02943
139	8706A Control Unit	6302	721-00108
140	8706A Control Unit	46832	824-00276

Tag#	Model# & Description	Asset#	Serial#
141	8706A Control Unit	6314	721-00164
142	8706A Control Unit	500886	824-00251
143	431C Power Meter	51264	Proto #1
144	431B Power Meter	4055	301-01934
145	410B VTVM	4006	13167
146			
147			
148	140A Oscilloscope	43729	540-01791
149	1426A Time Base	1179	326-00148
150-157			
158	135C X-Y Recorder	43543	466
159	135C X-Y Recorder	090121	67
160	135C X-Y Recorder	43370	426
161	7030AM X-Y Recorder	46998	225
162	495A Microwave Amp.	76218	0963A01627
163	215A Pulse Generator	2022	
164	8707A RF Unit Holder	501010	822-00287
165	8707A RF Unit Holder	086037	822-00275
166	1672A/1673A General Radio Auto Bridge Capacitance	48905	678/836
167	340A Noise Figure Meter		P10
168	340A Noise Figure Meter	51273	6
169	434A Calorimetric Power Meter		P5
170	620A 5HF Sig. Gen.		1326
171	851B/8551B Spec Anal.	51534/51535	526-01089 & 708-01009
172	ET1529 Modulation Calibrator		
173	297A Sweep Drive		
174	249A UHF Noise Source		050-00668
175	212A Pulse Gen.	81289	001-08915
176	1052A Combining Case (Modified)		
177	8714A Modulator		236-00157
178	8714A Modulator		216-00056
179	8728B Network Comparator		1207A00105
180	212A Pulse Gen.	51321	1054
181			

Tag#	Model# & Description	Asset#	Serial #
182	175A Oscilloscope		314-01287
183	1783A Time Mark Gen.	64875	208-00112
184	1755A Dual Trace Ver. Amp.	43704	524-01367
185	P382A Variable Attenuator		
186	P382A Variable Attenuator	3003	
187	8732A Pin Modulator	100-8011	502-00306
188	8731A Pin Modulator	51383	502-00161
189	8733A Pin Modulator	100-8008	502-00255
190	ET-0108	0128	
191	ET-0130 606A Mod. Att.	0565	
192	ET-0130 606A Mod. Att.	0317	
193	R382A Variable Att.		619
194	K382A	3168	256
195	P532A Freq Meter	5105	
196	M532A Freq. Meter	5066	237
197	P532A Freq. Meter	5006	
198	536A Freq. Meter	51379	
199	536A Freq. Meter	5112	
200	Variable Att.	9066/3355	
201	Slotted Line	8173-8200	
202	V Band Slotted Line (M103A)		174
203	8552A IF Section	80599	731-00021
204	5257A Transfer Osc.	49404	928-00952
205	5257A Transfer Osc.	49331	928-00900
206	8407A Network Analyzer	084275	1317A00973
207	355C Attenuator	0315	
208	3550 Attenuator	3581	
209	297A Sweep Drive		
210	10405A Vertical Response Test	1072	308-00371
211	IF Strip		
212	IF Strip		
213	IF Strip		
214	3439A	46437	751-02018
215	Fiche Viewer		
216	Adding Machine		
217	Fiche Viewer		
218	9070 Varimeter		

Tag#	Model# & Description	Asset#	Serial#
219			
220			
221	Sweep Oscillator 697C	43751	522-00327
222	Graphic Plotter 7202A	84518	
223	2161A Computer PWR SP	86089	
224	2115A Computer CPU 1700 110	86088	
225	2115A Computer CPU	90285	
226	2161A Computer PWR SP	86086	
227	Capacitor Meter	591-1357	16
228	Calculator Victor 1800	78723	4274
229	Calculator Victor 1800	79731	4404-1773
230	Calculator Victor 1800	80578	4485

- Rich Archuleta
 Bldg 25 x5329
 - Bill Ward x6357
 - Dan Allen - 110 x6820
 - Ron Rasmussen
 x 8146
 (San Carlos)

574 5246
 Dennis Polito
 592 5319
 Eugene
~~John~~ x2509

2411 Lincoln R.I.P.R.

857-ext.

JOHN SEANAGUEA
 HAD THE 2114
 & SOLD IT TO BILL WARD.

2114 - PWR SUPPLY RU
 2115 - MEMORY EXPANSION
 2116 -
 572-9915

Bill Ward 857-6357 CPU
 Don Allen "

buffered ASR

JOHN JAMESON
 BLDG 25

1/0 125310 INTERFACE

- 40 PIN-BOARD-
- 1 TELETYPE
- 1 TAPE READER
- 1 TERMINAL (VARIOUS TYPE)

Larry Matosich

367-8444

1st LER

AIR 2ND

STOP STGN

POPCY 1983