



Customer Owned Paging Product Sampler



BRAVO Tone



BRAVO Encore!



BRAVO Express



KeyNote




**KeyNote
Voice / Numeric**



Minitor II



Director II



FreeSpirit



Advisor




People Finder LT




People Finder PLUS



SiteMate



Page Maker 8



PURC 5000



AlphaMate II



Alert Central

TABLE OF CONTENTS

TONE AND VISUAL ALERT PAGER

Bravo Tone Alert	1
------------------------	---

VOICE AND NUMERIC PAGER

KeyNote Voice and Numeric	1
---------------------------------	---

TONE AND VOICE PAGERS

Minitor II	2
Minitor II SV	2
Director II	2
Director II SV	3
KeyNote Tone and Voice	3
KeyNote Voice Memory	3

NUMERIC PAGERS

BRAVO Numeric	4
BRAVO Encore!	4
BRAVO Express	4
BRAVO Plus	5
FreeSpirit	5

ALPHANUMERIC PAGERS

Advisor	6
Silent Advisor	6
SitePager	6
Memo Express	7

THE PEOPLE FINDER SYSTEM

People Finder LT	8
People Finder PLUS	8
PF100 Numeric	8
PF300 Tone and Voice	9
PF500 Voice Memory	9

THE SITEMATE SYSTEM

SiteMate Base	10
SiteMate Pagers	10

TERMINALS / BASE STATIONS


Unipage Page Maker 8	11
Unipage Model 15	11
PURC 5000 / ASC	11

ALPHA DEVICES AND SOFTWARE

AlphaMate II	12
AlphaLert	12
Alert Central Software	12

TONE & VISUAL PAGER


BRAVO Tone



- Tone & Visual Alert
- VIBRA-Page Silent Alerting (Optional)
- MEM-O-LERT Deferred Paging
- Multiple Address Operation
- Golay Sequential Coding (GSC) - LB, VHF, UHF and 900 MHz Bands
- POCSAG 512 - LB VHF, UHF and 900 MHz Bands
- 5/6 Tone - LB VHF, and UHF Bands
- EEPROM for Coding
- One AAA Alkaline Battery


VOICE & NUMERIC PAGER

KeyNote Voice & Numeric



- Loud & Clear Audio / Visual & Tone Alerting
- 5 Message Slots / 120 Character Memory
- Message Protection Stores Up to 3 Numeric Messages
- Message Reminder Chirp
- VIBRA-Page Silent Alerting Models
- Options Include: 1) Group Call; 2) Priority Addressing; 3) Fixed Alerting; 4) Variable Audio; 5) Private Messaging Only; 6) Rechargeable Battery with Charger
- Available in GSC Format Only
- LB, VHF, UHF, and 900 MHz Bands
- EEPROM for Coding
- One AA Alkaline Battery

Minitor II




- Selective Call (Two-Tone Sequential) Private Line and Carrier Squelch Models
- 2 Frequency Operation (Optional 1 Frequency Models)
- Superb Audio Output
- Tone and Visual Alerts
- Meets Mil Spec 810D Procedure II for Rain
- Options Include: 1) Multiple Calls (Two, Three, and Four Call Capability); 2) Fixed Alert / Variable Volume Control; 3) On/Off Duty
- Full Line of Accessories
- LB, VHF, and UHF Bands
- Single Unit Charger (Standard)
- One 2.6V Rechargeable Nickel-Cadmium Battery

Minitor II SV



- All Standard Features of Minitor II, Plus ...
- Message Back Up Protection
- Total 32 Second Voice Storage Memory
 - 2 - 16 Second Message (Standard)
 - 1 - 32 Second Message (Optional)
 - 4 - 8 Second Message (Optional)
- Options Included: 1) Multiple Calls (Two, Three, and Four Call Capability); 2) Fixed Alert & Variable Audio; 3) On/Off Duty
- Compatible with All Existing Minitor II Charger / Accessory Line
- VHF and UHF Bands
- Single Unit Charger (Standard)
- One 2.6V Rechargeable Nickel-Cadmium Battery

Director II



- Selective Call (Two-Tone Sequential)
- Superb Audio Output
- Tone and Visual Alerts
- Meets Mil Spec 810D Procedure II for Rain
- Options Include: 1) Multiple Calls (Two, Three, and Four Call Capability); 2) Fixed Alert & Variable Audio; 3) VIBRA-Page Silent Alerting; 4) Push-to-Listen; 5) Carrier Squelch Auto Reset
- Full Line of Accessories
- LB, VHF, and UHF Bands
- Single Unit Charger (Standard)
- One 2.6V Rechargeable Nickel-Cadmium Battery

Director II SV




- All Standard Features of Director II, Plus ...
- VIBRA-Page Silent Alerting
- Message Back Up Protection
- Total 32 Second Voice Storage Memory
 - 4 - 8 Second Message (Standard)
 - 1 - 32 Second Message (Optional) OR 2 - 16 Second Message (Optional)
- Options Include: 1) Multiple Calls (Two, Three, and Four Call Capability); 2) Fixed Alert & Variable Audio; 3) Carrier Squelch Auto Reset
- Full Line of Accessories
- VHF and UHF Bands
- Single Unit Charger (Standard)
- One 2.6V Rechargeable Nickel-Cadmium Battery

KeyNote Tone & Voice




- Tone Alert Followed by Voice Message
- Ergonomically Designed Rotary Volume Control and Reset Switch
- VIBRA-Page Models (GSC and Two-Tone Only)
- Options Include: 1) External Speaker Jack; 2) Rechargeable Battery with Charger; 3) Group Call
- IBM PC Compatible Programmer
- Available in 3 Coding Formats
 - Two-Tone Sequential (VHF, UHF, and 800 MHz Bands)
 - 5/6 Tone Decimal Digital (LB, VHF, and UHF Bands)
 - GSC (LB, VHF, UHF, and 900 MHz Bands)
- EEPROM for Coding
- One AA Alkaline Battery

KeyNote Voice Memory




- All Standard Features of KeyNote, Plus ...
- Loud & Clear Voice Messages
 - Four 8-Second Messages Storage (Standard)
 - Two 16-Second Message Storage (Optional)
- Message Waiting Indicator
- VIBRA-Page Silent Alerting Models
- Options Include: 1) Group Call
- NOT available in GSC or 5/6 Tone Coding Formats
- Two-Tone Sequential Coding (VHF, UHF, and 900 MHz Bands)
- EEPROM for Coding
- One AA Alkaline Battery

BRAVO Numeric




- 12-Digit LCD Top Mount Display
- 120 Character Total Memory:
Five 24-Digit Messages (GSC) or Six 20-Digit Messages (POCSAG)
- Tone & Visual Alerts
- MEM-O-LERT Deferred Paging
- Duplicate Message Detection
- VIBRA-Page Silent Alerting Models
- Removable Belt Clip
- Options Include: 1) Group Call
- GSC & POCSAG 512/1200 Coding Formats
- LB, VHF, UHF and 900 MHz Bands
- EEPROM for Coding
- One AA Alkaline Battery

BRAVO Encore!




- 12-Digit LCD Top Mount Display
- Eight 20 Character Message Slots
- VIBRA-Page Silent Alerting
- Easy to Read Display and Backlight
- Paging Alarm to Remind User of Important Dates/Meetings
- Time Stamps / Dates Messages
- Message Retention with Battery Backup
- POCSAG Only 512, 1200 or 2400 Coding Formats
- High Band, UHF, and 900 MHz Bands
- One AAA Alkaline Battery

BRAVO Express




- Large Front Mount 12 Character Display
- 8 Message Slots / 160 Character Memory
- Easily Readable, High-Contrast Display with Backlight
- VIBRA-Page Silent Alerting
- 8 Musical Alert Tones
- 12/24 Hour Clock / Message Timestamping / Message Slot Number
- Automatic Pager On/Off
- Durable Pocket Sized Housing with 8 Different Colors
- Memory Retention with Battery Backup
- POCSAG 512/1200 Coding Formats
- Available in VHF, UHF, and 900 MHz
- EEPROM for Coding
- One AAA Alkaline Battery

BRAVO Plus



- 16 Message Slots / 160 Character Memory
- Large, Easy to Read Backlit Display
- VIBRA-Page Silent Alerting Models
- 12/24 Hour Clock / Message Timestamping / Message Slot Number
- Message Memory Retention
- PC Based Programming
- Code Plug Selectable POCSAG 512/1200 Baud
- VHF, UHF and 900 MHz Bands
- EEPROM for Coding
- AA Alkaline Battery

FreeSpirit



- 12-Digit LCD Top Mount Display
- Ten 20 Character Message Slots
- Display Backlighting
- Musical Alert Tone
- VIBRA-Page Silent Alerting
- Chirp in Silent
- Reminder Chirp and/or Vibrate
- One Button Operation
- One Piece Tapered Belt Clip
- POCSAG Only
- High Band, UHF, and 900 MHz
- Two AAA Alkaline Batteries (Batteries Not Included)

Advisor




- 4 Line Display Screen with 20 Characters per Line
- 20 Individual and Group Call Message Locations
- 6,400 Characters Total Memory
- VIBRA-Page Silent Alerting
- Holster with Removable Belt Clip / 9" Lanyard (Optional)
- Electro-Luminescent Backlight
- Timestamps / Dates Messages
- User Settable Alarm
- Memory Retention
- GSC and POCSAG 512/1200 Coding Formats
- VHF, UHF and 900 MHz Bands
- EEPROM for Coding
- One AAA Alkaline Battery

Silent Advisor




- 4 Line, 80 Character Display
- Large Dynamic Memory - 6,400 Character
- Alerts with Vibration and Flashing Light Until Message Read
- Vibrating Alarm Function
- Superior Backlight
- Real Time Clock / Calendar
- Memory Retention
- POCSAG 512/1200 Coding Formats
- VHF, UHF, and 900 MHz Bands
- EEPROM for Coding
- One AAA Alkaline Battery

SitePager



- 4 Line, 80 Character Display
- 6,400 Characters Total Memory
- Specific Alerts for Site Priority and Individuals
- VIBRA-Page Silent Alerting
- Override of VIBRA-Page Upon Site Priority Message Receipt
- Custom Prompts
- Real Time Clock / Calendar
- Memory Retention
- POCSAG 512/1200 Baud / Golay Coding Formats
- VHF, UHF, and 900 MHz Bands
- EEPROM for Coding
- One AAA Alkaline Battery


Memo Express



- One Line Front Display Screen
- Five 120 Character Message Slots
- Message Memory Stores Up to 4 Messages
- Memory Retention with Battery Backup
- 5 Different User Selectable Alert Tones
- VIBRA-Page Silent Alerting
- Alarm Reminder for Important Dates / Meetings
- Time of Day / Message Stamping
- Multiple Colors Include Black, Slate Gray, Bimini Blue, Clear, Teal, and Artic White
- POCSAG Only 512/1200/2400 Coding Format
- High Band, UHF, and 900 MHz
- One AAA Alkaline Battery

THE PEOPLE FINDER SYSTEM

People Finder LT




- 100 User Capacity
- Two-Digit Entry
- Terminal Group Call (1 Group with Total of 75 Members)
- Supports Two-Way Communication
- Basic Keyboard Models with and without Telephone Interconnect
- Encoder-Only Models Available
- Steel Grey Color
- Programmable to Utilize Two Code Plans or the following Pager Types:
Tone, Voice, Numeric, or Alphanumeric Messaging
- Available in UHF Band (403-433, 438-470 MHz)
- 2-Watt and 4-Watt Models

People Finder PLUS



- 1000 User Capacity
- Expandable Group Call (9 Group with Total of 75 Members)
- Supports Two-Way Communication
- Basic Keyboard Models with and without Telephone Interconnect
- Encoder-Only Models Available
- Alarm Page for Automatic Paging of Alarm Messages
- Phone Patch for Two-Way Radio Access to Phone Lines for Transceiver (2-4 Watt)
Telephone Interconnect Models
- Programmable to Utilize Four Code Plans or the following Pager Types:
Tone, Voice, Numeric, or Alphanumeric Messaging
- Available in UHF Band (403-433, 438-470 MHz)
- 2-Watt and 4-Watt Models


PF 100 Numeric



- 12-Digit LCD Top Mount Display
- 120 Character Total Memory:
Five 24-Digit Messages (GSC) or Six 20-Digit Messages (POCSAG)
- Tone & Visual Alert
- VIBRA-Page Silent Alerting Models
- Group Call (Optional)
- Duplicate Message Detection
- Steel Grey Color Compliments People Finder LT or PLUS
- GSC & POCSAG 512 Coding Formats
- VHF & UHF Bands
- EEPROM for Coding
- One AA Alkaline Battery

THE PEOPLE FINDER SYSTEM

PF 300 Tone & Voice




- Tone Alert Followed by Voice Message
- Ergonomically Designed Rotary Volume Control and Reset Switch
- Options Include: 1) VIBRA-Page Silent Alerting Models; 2) External Speaker Jack; 3) Group Call
- IBM PC Compatible Programmer
- Steel Gray Color Compliments People Finder LT or PLUS
- Two-Tone Sequential Format (UHF)
- EEPROM for Coding
- One AA Alkaline Battery

PF 500 Voice Memory




- Loud & Clear Voice Messages
 - Four - 8 Second Messages Storage (Standard)
 - Two - 16 Second Message Storage (Optional)
- Message Waiting Indicator
- Options Include: 1) Group Call; 2) VIBRA-Page Silent Alerting Models; 3) External Speaker Jack
- Steel Gray Color Compliments People Finder LT or PLUS
- Two-Tone Sequential Coding (UHF)
- EEPROM for Coding
- One AA Alkaline Battery

SiteMate Base




- SiteMate Base Transmits to Both Voice and Vibrate SiteMate Pagers
- Ergonomic Design Complements Any Business Environment
- 13 Button Keypad with Both Tactile and Audible Response
- 90 Pager Capacity in Any Combination of SiteMate Voice and/or Vibrate Pagers
- Simple to Use and Easy to Set Up
- Up to 1/2 Mile Coverage Radius Under Optimal Conditions
- ALL CALL Conveys Single Message to All Active Pagers in System
- Performs Group Call Messaging to 9 Different Groups (Up to 90 Pagers)
- 'Cool' Grey Color
- 300 Baud SGP Coding Format
- 8 Volt DC Power Supply with Cord & Plug

SiteMate Voice Pager & SiteMate Vibrate Pager



- Hands Free Control
- Belt Clip
- 'Cool' Grey Color Compliments SiteMate Base; also Available in Dark Gray
- SGP Coding Format
- 460 - 470 MHz Bands
- Two AAA Alkaline Batteries (Batteries Not Included)
- SiteMate *Voice* Pager
 - Tone Alert Followed by Clear Voice Message
 - Two Volume Levels
- SiteMate *Vibrate* Pager
 - Vibrate Alert Notifies User to Take Predetermined Action

Unipage Page Maker 8




- Paging Terminal Designed for Customer Owned Paging Operations
- 2-Tone, 5-Tone, NEC D3, POCSAG 512/1200/2400, and GOLAY Formats
- 2,000 Subscriber Numbers
- One Frequency Output
- Four Trunk Inputs
- Four Alpha Input Ports
- Eight Card Slots
- Competes with Zetron 640
- TNPP Networking to Wide Area Paging

Unipage Model 15




- Paging Terminal Designed for Customer Owned Paging Operations
- 2-Tone, 5-Tone, NEC D3, POCSAG 512/1200/2400, and GOLAY Formats
- More than 2,000 Subscriber Memory
- More than One Output Frequency
- More than Four Trunk Inputs
- More than Four Alpha Input Ports
- More than Eight Card Slots
- TNPP Networking to Wide Area Paging

PURC 5000 / ASC




- Simulcast Paging System Using Multiple Paging Transmitters Broadcasting Frequency Simultaneously
- Automatically Performs Phase Delay, Audio Gain, and Carrier Frequency Functions from Single Location
- Wireline, Radio Link, or Satellite Control Available
- Automatic Monitoring of Station Parameters
- Advanced Alarm Reporting / Management

AlphaMate II




- Desktop Alpha Message Entry Device
- 2 Line / 80 Character Display
- Full ASCII Character Set with 1280 Characters per Message
- 750 User Pager Directory
- Real-Time Clock / Calendar
- Dual Password Protection
- Call Progress Monitor
- Reminder Page (Up to 16 Future Messages)
- Canned Messages (Up to 16 Messages)
- Group Call (Up to 40 Groups)
- Multilingual Prompts (English / Spanish / French)
- Multiple System Setups
- Over-the-Air Programming Available
- Directly Connected Using RS-232 Port
- Standard Phone Line Dial Up
- Printer Interface
- 300/1200/2400 Baud Modem
- 110V AC, 50/60 Hz

AlphaLert



- Electronic Sign Using Radio Paging Network
- Electronic Dot Matrix LED Display
- 3 Models Available
 - 1 Line / 1 Color (15 Character per Line Minimum, Up to 100 Characters Each)
 - 1 Line / Multi Color (15 Character per Line Minimum, Up to 100 Characters Each)
 - 2 Line / Multi Color (20 Character per Line Minimum, Up to 700 Characters Each)
- Simultaneously Updates to Multiple Signs with Single Page
- Allows Local & Wide Area Coverage
- Alphanumeric Entry from PC Software, AlphaMate II, or any Alpha Input Device
- 512/1200/2400 Baud POCSAG, Alphanumeric
- VHF, UHF, and 900 MHz Bands
- 120V AC +/- 10%, (Optional 220 VAC) UL Listed Power Supply

Alert Central



- Wireless Monitoring System Software with Computer Initiated Alphanumeric Paging
- Menu Driven / User Friendly
- Single Line - Up to 400 Characters
- RS-232 Serial ASCII Data
- Group Paging Capabilities
- Remote Diagnostic Capabilities
- Structured Format
 - Customer Defined Criteria (2000 Conditions)
 - Customer Defined Pager Assignment
 - Customer Defined Messages
- System Throughput Up to 12 Pages per Minutes at 1200 Baud

This Product Sampler is a tool designed for easy reference of Customer Owned Paging products and their key features. While the Product Sampler shows the scope of the Customer Owned Paging portfolio, it is not meant to be all inclusive. Appropriate support materials (brochures, specification sheets, system planners) and price pages should be referenced for a full listing of product features, options and pricing.



MOTOROLA

■
**Customer Owned Paging
1500 Gateway Boulevard
Mail Stop 101
Boynton Beach, FL 33426**
■

Ⓜ, Motorola, and People Finder are registered trademarks of Motorola, Inc. Advisor, Alert Central, AlphaMate II, AlphaLert, BRAVO Encore!, BRAVO Numeric, BRAVO Tone, BRAVO Express, BRAVO Plus, Director, Director II SV, FreeSpirit, KeyNote, KeyNote Voice & Numeric, KeyNote Voice Memory, Memo Express, Mem-O-Lert, Minitor II, Minitor II SV, People Finder LT, People Finder PLUS, PF 100 Numeric, PF300 Tone and Voice, PF 500 Voice Memory, PURC5000, and Silent Advisor, SiteMate, SitePager, Unipage PageMaker 8, Unipage Model 15, and VIBRA-Page are trademarks of Motorola, Inc. © 1994 Motorola • Printed in U.S.A.

Motorola is an Equal Employment
Opportunity / Affirmative Action Employer

RO-5-329